

Environmental, Safety and Health Training Catalog for Project _____

For items marked (X), the stated requirements will apply to Contractor personnel as applicable to the task being performed

Company Supplied Training (or equivalent)	
M	<p>1. General Employee Training (GET)</p> <ul style="list-style-type: none"> ▪ Duration: 1.5 hrs. CBT 29698. ▪ Reason: Required for General site access. ▪ Remarks: Visitor will receive a "GET" access card. 24 month retrain.
M	<p>2. Initial Security Briefing</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT 80015 AR. ▪ Reason: Required for all Contractor Employees who must obtain a site security badge for general site access. ▪ Remarks: Employee will receive site access badge after completion of briefing; Employees who have not worked on site for more than 6 months must repeat this training prior to returning to work on site.
M	<p>3. Annual Security Refresher</p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. CBT. ▪ Reason: Required for all Contractor Employees to maintain a site security badge for general site access. ▪ Remarks: Annual Security Refresher is required in December of each calendar year regardless of the date employee completes Initial Security Briefing. 12 month retrain.
M	<p>4. Annual Cyber Security</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT 29989. ▪ Reason: General awareness. ▪ Remarks: 12 month retrain.
M	<p>5. Environmental Management System Awareness</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC4567. ▪ Reason: General awareness. ▪ Remarks: 12 month retrain.
M	<p>6. PPE</p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. one-time/as required. AR Training Module X00818. ▪ Reason: Personnel who wear hand, eye, face, and foot protection. ▪ Remarks: Training with verification.
M	<p>7. General Work JHA Briefing</p> <ul style="list-style-type: none"> ▪ Requirement: Training with attendance roster. ▪ Reason: Awareness of hazards and the Company's site-specific controls for common activities.
M	<p>8. Site Safety Orientation JHA Briefing</p> <ul style="list-style-type: none"> ▪ Requirement: Training with attendance roster. ▪ Reason: Awareness of hazards and the Company's site-specific controls for common activities.
M	<p>9. Workplace Substance Abuse Program</p> <ul style="list-style-type: none"> ▪ Duration 0.5 hrs. CBT/EC6839. ▪ Reason: General awareness. ▪ Remarks: 12 month retrain.
M	<p>10. Site Workplace Violence/Active Assailant Briefing</p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. CBT 80110. ▪ Reason: General awareness. ▪ Remarks: 12 month retrain.
M	<p>11. Accident Prevention/Equipment Control Tag</p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. AR CBT X04180. ▪ Reason: Guidance and information on properly affixing and using control tags. ▪ Remarks: One-time/as required.
M	<p>12. Temperature Extremes for Supervisors and OSH</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC7249. ▪ Reason: Heightened sense of awareness. ▪ Remarks: 12 month retrain. ▪ NOTE: This training is for those who have been assigned as supervisors or OSH.
M	<p>13. Continuity of Operations (COOP)</p> <ul style="list-style-type: none"> ▪ Duration: 0.5hrs.CBT/EC8230. ▪ Reason: General awareness. ▪ Remarks: 12 month retrain.
M	<p>14. Posting, Boundary, and IEZ Compliance</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC8430. ▪ Reason: General awareness. ▪ Remarks: 12 month retrain. ▪ NOTE: Information and expectations with regard to compliance with postings, boundaries, and Immediate Evacuation Zones (IEZs) while on site.
M	<p>15. Beryllium Awareness</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. AR CBT X05711. ▪ Reason: General awareness. ▪ Remarks: 24 month retrain. ▪ NOTE: General Awareness to the hazards of Beryllium exposure (No Beryllium work being performed on-site).
M	<p>16. Waste Generator: General Awareness</p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. AR CBT/EC8516 ▪ Reason: General awareness. ▪ Remarks: 24 month retrain. ▪ NOTE: This training addresses common waste streams generated at the PORTS site, items prohibited from disposal on PORTS sanitary waste, and general waste management that is important to employees' safety and the environment (EC8516 replaced "Waste Generator" EC4935).

J-13 Appendix 1
06/23/2026

<input type="checkbox"/>	<p>17. <u>Transportation Security/Offsite Shipment Hazmat</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. one-time only AR CBT 80109. ▪ Reason: General awareness. ▪ Remarks: 36 month retrain.
<input type="checkbox"/>	<p>18. <u>Temperature Extremes</u></p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. CBT X02557 (and an annual physical prior to activity). ▪ Reason: Personnel who will be performing work in greater than 80 degrees Fahrenheit or colder than 39 degrees Fahrenheit. ▪ Remarks: Training with verification certificate (ACGIH equivalent) submittal required for employee performing activity. 12 month retrain.
<input type="checkbox"/>	<p>19. <u>Suspect, Counterfeit Items (S/CI)</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC7001. ▪ Reason: To prevent the entry of S/CI through design, procurement, construction, D&D, operation, maintenance, and modification of work processes. ▪ Remarks: 36 month retrain.
<input type="checkbox"/>	<p>20. <u>Radiological Worker Training</u> - allows unescorted access to Radiological areas.</p> <ul style="list-style-type: none"> ▪ Duration: (Initial Training) 24.0 hrs. class room (2 or 3 sessions). (Refresher Training CBT 6 hrs.) (OJT Practical 3hrs.). ▪ Reason: Required for access to areas with radiological exposure/contamination potential. Anticipated Task: Access requiring use of TLD and exit monitoring. ▪ Remarks: Employee will be able to enter Radiological areas without an escort. 24 month retrain.
<input type="checkbox"/>	<p>21. <u>Respiratory Protection Training</u></p> <ul style="list-style-type: none"> ▪ Duration: 2.0 hrs. CR X02956. ▪ Protection Program. 1 hr. additional training per add on accessory protection device such as Air Pal, Air Cart, PAPR, etc. ▪ Reason: Personnel who are required to wear respiratory protection equipment. Contractor employees will be using the Company respiratory equipment and require a physical and entrance into the Company Respiratory. ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>22. <u>Respirator Fit Test</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. AR Fit Test. Training Module X05687. ▪ Reason: Personnel who are required to wear respiratory protection equipment. ▪ Remarks: A physical and entrance into the Company Respiratory Protection. Program 12 month retrain.
<input type="checkbox"/>	<p>23. <u>Lockout/Tagout (LOTO) for Authorized Employee</u></p> <ul style="list-style-type: none"> ▪ Duration: 6.0 hrs. one-time/as required. CR TA5966. Refresher Training 1.0 hrs. CBT/EC6530. ▪ Reason: Personnel to be performing work under LOTO protection. ▪ Remarks: LOTO on the Company systems requires site specific knowledge and qualified program. Refresher training 12 month retrain.
<input type="checkbox"/>	<p>24. <u>Lockout/Tagout (LOTO) for Supervisors</u></p> <ul style="list-style-type: none"> ▪ Duration: LOTO Supervisor Qualification: 2.0 – 40.0 hrs. (Depending if it is initial and level knowledge of the student). One time only, CR TA5964. LOTO for Supervisor's JPM: 2.0 – 10.0 hrs. (Depending if it is initial and level knowledge of the student). One time only, TA5962. ▪ Reason: For any supervisor who supervises employees who will be applying LOTO locks. ▪ Remarks: One-time/as required. ▪ NOTE: This training is for those who have been assigned as supervisors.
<input type="checkbox"/>	<p>25. <u>Fire Watch for Welding/Burning/Hot Work</u></p> <ul style="list-style-type: none"> ▪ Duration: 2.0 hrs. (1 hr. class room and 1 hr. OJT). CR X00132. 0.5 hrs. Practical 23290. 1.0 hrs. Refresher Training CBT X05075. ▪ Reason: Personnel performing or acting as fire watch of any activity producing an open flame or sparks. ▪ Remarks: The Company facilities are at risk. Refresher and Practical 12 month retrain.
<input type="checkbox"/>	<p>26. <u>Asbestos Awareness</u></p> <ul style="list-style-type: none"> ▪ Duration: 2 hrs. CBT X05702. ▪ Reason: Personnel who may be exposed to Asbestos when working. ▪ Remarks: General awareness to the hazards of Asbestos exposure (not required for personnel with valid asbestos certification/license). 12 month retrain.
<input type="checkbox"/>	<p>27. <u>Silica Awareness</u></p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. one-time/as required. AR CBT/EC5989. ▪ Reason: Personnel who may be exposed to silica when working. ▪ Remarks: General awareness to the hazards of silica exposure.
<input type="checkbox"/>	<p>28. <u>Waste Generator: Roles & Responsibilities</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC8517. ▪ Reason: Assigned to selected personnel. ▪ Remarks: 12 month retrain. ▪ NOTE: The training addresses regulatory requirements applicable to the generation of waste at the PORTS site, including the generator's roles and responsibilities throughout the waste management life cycle and the importance of proper waste containerization, marking and labeling, storage, and disposal.
<input type="checkbox"/>	<p>29. <u>Nevada National Security Site (NNSS) Acceptable Waste</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. EC8523. ▪ Reason: Personnel who may generate waste that has the potential to be shipped off-site for disposal at the NNSS. ▪ Remarks: 12 month retrain. ▪ NOTE: This training identifies requirements for waste packaging (e.g., minimum package design) and packages (e.g., package, loading, marking labels), items prohibited from disposal at the NNSS, segregation requirements, and documentation, traceability, and shipment requirements.
<input type="checkbox"/>	<p>30. <u>PCB Awareness</u></p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. one-time/as required. AR CBT X05080. ▪ Reason: Personnel who may be exposed to PCBs when working. ▪ Remarks: General awareness to the hazards of PCB exposure.
<input type="checkbox"/>	<p>31. <u>Lead Safety</u></p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. AR CBT X02350. ▪ Reason: Personnel who may be exposed to Lead when working. ▪ Remarks: General awareness to the hazards of Lead exposure. 12 month retrain.
<input type="checkbox"/>	<p>32. <u>RCRA Part B</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT 26549. ▪ Reason: Personnel generating RCRA wastes. ▪ Remarks: 12 months retrain.
<input type="checkbox"/>	<p>33. <u>SPCC Plan for PORTS Facilities</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT X05640. ▪ Reason: Use/storage of hazardous liquids. ▪ Remarks: All personnel that handle petroleum products. 12 month retrain.

M = Mandatory Requirements
 CBT/EC = Computer Based Training/ECourse
 AR = As required for the Job Duties
 CR = Classroom

<input type="checkbox"/>	<p>34. <u>General Awareness Training for HazMat Workers</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT X05765. ▪ Reason: General awareness for personnel performing demolition ▪ Remarks: 36 month retrain.
<input type="checkbox"/>	<p>35. <u>Spotter</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC8458 ▪ Reason: Personnel who will be performing operator and spotter duties. ▪ Remarks: 2 Separate Modules. Refresher training for both 12 month retrain.
<input type="checkbox"/>	<p>36. <u>Flagger</u></p> <ul style="list-style-type: none"> ▪ Duration: 0.5 hrs. CBT/EC4865. ▪ Reason: Personnel who will be performing operator and spotter duties. ▪ Remarks: 2 Separate Modules. Refresher training for both 12 month retrain.
<input type="checkbox"/>	<p>37. <u>Kubota/UTV Safety Briefing & Video</u></p> <ul style="list-style-type: none"> ▪ Duration: 1 hrs. CBT/EC8238. ▪ Reason: Personnel who will be operating UTVs (Kubotas, Can-Ams, Rangers, etc.) on site. ▪ Remarks: 12 month retrain.
Contractor Supplied Training (or Company)	
<input type="checkbox"/>	<p>38. <u>Confined Space</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. one-time/as required AR CR X02978. ▪ Reason: Personnel who enter or attend confined space. ▪ Remarks: General awareness of the hazards associated with confined space.
<input type="checkbox"/>	<p>39. <u>Ladder Safety</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification on Matrix. CBT/ 28981 ▪ Reason: Personnel who use a ladder. ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>40. <u>Basic Fire Extinguisher</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification on Matrix. CBT/ X00244 ▪ Reason: Personnel who use a fire extinguisher. ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>41. <u>Hearing Conservation</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification on Matrix. CBT/ X00066 ▪ Reason: Personnel who work in high noise (time-weighted average 85 dBA in 8 hrs.). ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>42. <u>Fall Protection</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification on Matrix. CR/ X01852 - Refresher CBT/ EC8589 ▪ Reason: Personnel who are required to work at elevated heights of 6 ft. or more from an unprotected work surface. ▪ Remarks: One-time/as required.
<input type="checkbox"/>	<p>43. <u>Hoisting and Rigging</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity. ▪ Reason: Personnel performing hoisting and rigging activities. ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>44. <u>HAZCOM Chemical Categories</u></p> <ul style="list-style-type: none"> ▪ Duration: 1.0 hrs. CBT/EC5841. ▪ Reason: Hazardous Chemical Use. ▪ Remarks: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity. 24 month retrain.
<input type="checkbox"/>	<p>45. <u>Mobile Equipment</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification on Matrix. ▪ Reason: Personnel who operate mobile equipment on-site. ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>46. <u>Compressed Gas Cylinder Safety</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification on Matrix. ▪ Reason: Personnel that handle, transport, and use compress gas cylinders. ▪ Remarks: 12 month retrain.
<input type="checkbox"/>	<p>47. <u>Scaffolding</u> (includes documentation for Scaffold Competent Person)</p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity. ▪ Reason: Personnel who use and assemble scaffolds on-site. ▪ Remarks: One-time/as required.
<input type="checkbox"/>	<p>48. <u>Electrical Hazard Awareness and Electrical Safety</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification certificate (NFPA 70E – 2018 Edition) submittal required for employee performing activity. Refresher training at intervals not to exceed 3 years. ▪ Reason: Personnel who may be exposed to electrical hazards when working on or near electrical equipment.
<input type="checkbox"/>	<p>49. <u>First Aid/CPR/AED</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification certificate submittal required for employee performing activity. ▪ Reason: NFPA 70E only requires it if it is part of your job to respond to medical emergencies. ▪ Remarks: 24 month retrain.
<input type="checkbox"/>	<p>50. <u>Excavation Competent Person</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity. ▪ Reason: Personnel who are required to perform Excavation Competent Person Duties. ▪ Remarks: One-time/as required.
<input type="checkbox"/>	<p>51. <u>Asbestos Abatement Worker</u></p> <ul style="list-style-type: none"> ▪ Requirement: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity. ▪ Reason: Personnel who will remove asbestos. ▪ Remarks: 12 month retrain.

J-13 Appendix 1

06/23/2026

<input type="checkbox"/>	52. <u>Asbestos Competent Person/Asbestos Hazard Abatement Specialist (AHAS)</u> <ul style="list-style-type: none">Requirement: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity.Reason: Personnel who will supervise asbestos work.Remarks: 12 month retrain.
<input type="checkbox"/>	53. <u>Asbestos Hazardous Evaluation Specialist (AHES)</u> <ul style="list-style-type: none">Requirement: Training with verification certificate (OSHA equivalent) submittal required for employee performing activity.Reason: Personnel who inspects, performs bulk sampling, and clearance/area monitoring for asbestos.Remarks: 12 month retrain.
<input type="checkbox"/>	54. <u>Pressure Safety</u> <ul style="list-style-type: none">Requirement: Training with verification certificate: As per Company approved design and commissioning plan.Reason: Modification or replacement of pressure vessels, modification to steam system, boilers, air receivers, and supporting piping systems.Remarks: 12 month retrain.
<input type="checkbox"/>	55. <u>HAZWOPER</u> <ul style="list-style-type: none">24 Hour (Occasional Site Worker), Occasional Site Worker (8 hrs.), Supervised Field Experience, must be documented Or40 Hour (General Site Worker), HAZWOPER Training General Site Worker (24 hrs.), Supervised Field Experience, must be documented.Remarks: 12 month retrain.
<input type="checkbox"/>	56. <u>Hexavalent Chromium</u> <ul style="list-style-type: none">Requirement: Training with verification certificate submittal required for employee performing activity.Reason: Personnel who may be exposed to Hexavalent Chromium when working (i.e., welding/hot work on stainless steel).Remarks: One-time/as required.
<input type="checkbox"/>	57. <u>Inorganic Arsenic</u> <ul style="list-style-type: none">Requirement: Training with verification on Matrix. CBT/X04692Reason: Personnel subject to exposure to inorganic arsenic above the action level without regard to respirator use, or for whom there is the possibility of skin or eye irritation from inorganic arsenic.Remarks: 12 month retrain.